



# VK1 – Det.

## Product Information

### Sheet

## Manual Dishwashing Detergent

**Viwanta VK1 DET** is a concentrated manual dishwashing liquid, effective in removing all grease and food soils. The product is a scientifically blended, balanced liquid detergent containing mixed actives and special ingredients to enhance cleaning performance. **Viwanta VK1 DET** is ideally suited for manual cleaning of all soiled crockery, cutlery and utensils, including pots and pans.

### Features and Benefits

- Contains a blend of actives to eliminate grease and dried-on food stains.
- Leaves tableware scratch-free and streak-free. Gentle on hands.
- Fully biodegradable.
- Concentrated for economy of use.

### Directions for use

#### Recommended dilution is:

Normal soiling : 20 ml. in 1 litre of warm water.

Heavy soiling : 50 ml. in 1 litre of warm water.

Soak, if necessary, scrub and rinse off.

Our Technical Customer Service Personnel will be happy to provide further assistance

### Technical Specs:

Appearance	: Green Color Liquid	<b>Packaging:</b> Available in 2 x 5Ltr.
pH Value	: 5.5 – 6.5	
Specific Gravity	: 0.95 – 1.05	
Oduor	: Green Mint	

*The above data is typical of normal production and should not be taken as a specification.*

### Safe Handling and Storage Information

In case of eye contact, rinse immediately with plenty of water and seek medical advice. Store in a cool, dry place away from direct sunlight.

Steps to Manually

### *WASH, RINSE and SANITIZE*

Equipment and Utensils

WASH	RINSE	SANITIZE	AIR DRY
In water at least 110 °F with a good detergent.	Thoroughly in clean hot water after washing to remove cleaners and abrasives.	In warm, 75 °F water with sanitizer for one minute *	Sanitizer contact time is important. Do not towel dry.

Remember, equipment and utensils can not be sanitized unless they are properly cleaned.

For More Information, Please contact your local representative.



**Corporate Office:**  
NIPO Hygienic LLP  
Unit No 3, Godavari Building, Laxmi Industrial Premises  
Pokharan Road No 1, Thane (West) MH - 400606  
contact@nipohygenics.com



DW  
ECO

# Product Information Sheet

## Manual Dishwashing Detergent

**Viwanta DW ECO** is a concentrated manual dishwashing liquid, effective in removing all grease and food soils. The product is a scientifically blended, balanced liquid detergent containing mixed actives and special ingredients to enhance cleaning performance. **Viwanta DW ECO** is ideally suited for manual cleaning of all soiled crockery, cutlery and utensils, including pots and pans.

### Features and Benefits

- Contains a blend of actives to eliminate grease and dried-on food stains.
- Leaves tableware scratch-free and streak-free. Gentle on hands.
- Fully biodegradable.
- Concentrated for economy of use.

### Directions for use

#### Recommended dilution is:

Normal soiling : 20 ml. in 1 litre of warm water.

Heavy soiling : 50 ml. in 1 litre of warm water.

Soak, if necessary, scrub and rinse off.

Our Technical Customer Service Personnel will be happy to provide further assistance

### Technical Specs:

Appearance	: Yello Color Liquid	<b>Packaging:</b> Available in 2 x 5Ltr.
pH Value	: 7.5 – 8.5	
Specific Gravity	: 0.95 – 1.05	
Oduor	: Lemon, also available Odorless	

*The above data is typical of normal production and should not be taken as a specification.*

### Safe Handling and Storage Information

In case of eye contact, rinse immediately with plenty of water and seek medical advice. Store in a cool, dry place away from direct sunlight.

Steps to Manually

### *WASH, RINSE and SANITIZE*

Equipment and Utensils



For More Information, Please contact your local representative.



Corporate Office:  
NIPO Hygienic LLP  
Unit No 3, Godavari Building, Laxmi Industrial Premises  
Pokharan Road No 1, Thane (West) MH - 400606  
contact@nipohygenics.com

### Multi purpose cleaner concentrate

### Sheet

**Viwanta VK2- Multi** is a general-purpose concentrated liquid detergent for dishwashing, floor cleaning, hard surface cleaning, glass & vehicle cleaning.

#### Features and Benefits

- Dishwashing - Safe on hands. Easy to rinse. Saves water. Removes stubborn soils. Mild and gentle on cutlery.
- Floor Cleaning - Can be used on all floorings like marble, granite, vinyl etc. Compatible for use with scrubbing machines.
- Pleasant lingering perfume.
- Hard Surface Cleaning - Use on laminates, computers, telephones, TV and other plastic surfaces. Leaves surface clean without any scratches or streaks.
- Glass Cleaning - Leaves glass sparkling clean without any scratches or streaks.
- Vehicle Cleaning - Cleans without removing gloss. Effective for cleaning seat covers, dash-board and car-interior.

#### Directions for use

**Dishwashing** : Use at a concentration of 2% to 5%. Add 20 ml. of Viwanta VK2 Multi to 1 litre of hand-hot water. Soak utensils in tank filled with warm Viwanta VK-2 Multi solution. Clean soil with scrubber. Soak in rinse tank. Sanitise in tank filled with sanitiser solution.

**Floor Cleaning** : Prepare a 1.5% solution of Viwanta VK2 Multi in a bucket of water. Mop floor. For heavy soiling use neat.

**Hard Surface Cleaning** : Prepare a 10 ml solution of Viwanta VK2 Multi in a spray bottle. Spray on surfaces to be cleaned. Wipe dry.

**Glass Cleaning** : Prepare a 0.2% solution of Viwanta VK2 Multi in a spray bottle. Spray on glass surfaces. Wipe dry.

**Vehicle Cleaning** : Prepare a 1% solution of Viwanta VK2 Multi in warm water. Wash car with this solution. Wipe dry. CAUTION : To protect wax shine do not use higher concentration.

**Windshield cleaning** : Fill a 0.2% solution of Viwanta VK2 Multi in the wiper-water reservoir and use the windshield sprayer.

#### Technical Specs:

Appearance	:	Blue Color Liquid
pH Value	:	7.5 – 8.5
Specific Gravity	:	0.95 – 1.10
Oduor	:	Fresh

*The above data is typical of normal production and should not be taken as a specification.*

#### Safe Handling and Storage Information

In case of eye contact, rinse immediately with plenty of water and seek medical advice. Store in a cool, dry place away from direct sunlight.

**Packaging:** Available in **2 x 5Ltr.**

For More Information, Please contact your local representative.

**Corporate Office:**  
NIPO Hygienic LLP  
Unit No 3, Godavari Building, Laxmi Industrial Premises  
Pokharan Road No 1, Thane (West) MH - 400606  
contact@nipohygenics.com





## VK3 – Grill

## Product

## Information

## Sheet

### Oven & Grill Cleaner Concentrate

Viwanta VK-3 Grill is a heavy-duty cleaner for removal of heavy carbonaceous and baked-on deposits from equipment like ovens, grills, fryers, hot-plates, etc.

#### Features and Benefits:

- Fully formulated for optimal performance
- Increases efficiency by reducing energy consumption of equipment
- Total removal of heavy carbonaceous and baked-on deposits
- Non-perfumed Leaves no taint or smell on cleansed items

Directions for use:

#### OVENS / GRILLS :

Use neat. Spray on to surface or equipment (preferably up to 60 C). Leave for 10 - 30 minutes depending upon the soiling. Remove loose deposits with scourer or brush. Wipe clean with a wet cloth.

#### FRYER CLEANING :

Drain oil and close drain valve. Fill with water to almost oil-fill level. Add 100 ml. of **Viwanat VK-3 GRILL** for every liter of oil capacity (10% v/v). Turn on fryer and bring to controlled boil for 20 minutes. After cleaning and draining, scrub the remaining residue from side walls and heating elements with a scourer or brush. Rinse twice with clean, hot water and dry thoroughly. Not Recommended for teflon coated surface.

#### Precautions to be taken:

Viwanta VK-3 GRILL is highly alkaline. Use with care. Protective clothing / gloves should be worn to avoid contact with skin, eyes and clothing. In case of skin contact, wash immediately with plenty of water. In case of eye contact, rinse immediately with plenty of water and seek medical advice. Do not use on aluminum or Teflon surfaces or painted surfaces. Do not use on surfaces above 80°C. Store in a cool, dry place away from direct sunlight.

#### Technical Specs:

Appearance	:	Dark Brown Color Liquid
pH Value	:	12.5 – 13.5
Specific Gravity	:	1.10 – 1.15
Oduor	:	No Oduor

*The above data is typical of normal production and should not be taken as a specification.*

#### Safe Handling and Storage Information

In case of eye contact, rinse immediately with plenty of water and seek medical advice. Store in a cool, dry place away from direct sunlight.

**Packaging:** Available in 2 x 5Ltr.

For More Information, Please contact your local representative.



Corporate Office:  
NIPO Hygienic LLP  
Unit No 3, Godavari Building, Laxmi Industrial Premises  
Pokharan Road No 1, Thane (West) MH - 400606  
contact@nipohygenics.com



# VK7 – SS Polish

Product

Information

## Stainless Steel Polish & Cleaner

Sheet

**Viwanta VK-7 SS Polish** is a specially formulated polish for care of stainless steel. It protects against grease and water splashes and leaves surface with a bright finish. It can be used on stainless steel doors (specially refrigerators and freezer doors) and outside surfaces of stainless-steel equipment.

### Features and Benefits

- Protects equipment surfaces and increases life.
- Leaves the surface with a smooth lustre.
- Non-perfumed.
- Leaves no taint or smell on cleansed items.

### Directions for use

**Viwanta VK7 SS Polish** is a ready-to-use product. Heavily soiled surfaces should be precleaned. Spray sparingly and polish off with a clean, dry cloth. Our Technical Customer Service Personnel will be happy to provide further assistance.

### Technical Specs:

Appearance	:	Milky White Color Liquid
pH Value	:	6.5 – 7.5
Specific Gravity	:	0.95 – 1.01
Oduor	:	No Oduor

*The above data is typical of normal production and should not be taken as a specification.*

### Safe Handling and Storage Information

Store in a cool, dry place away from sunlight. Do not inhale spray. After use, rinse your hands and dry them thoroughly. If you have damaged or sensitive skin, gloves are recommended. Not meant for use on food contact surfaces

**Packaging:** Available in **2 x 5Ltr.**



For More Information, Please contact your local representative.

**Corporate Office:**  
NIPO Hygienic LLP  
Unit No 3, Godavari Building, Laxmi Industrial Premises  
Pokharan Road No 1, Thane (West) MH - 400606  
contact@nipohygenics.com





# VK5– De Scaler

## Product Information Sheet

### De Scaler Concentrate

**Viwanta VK-5 De-Scaler** is a highly concentrated acidic cleaner designed to eliminate lime-scale buildup from various kitchen equipment. Whether it's dishwashers, steamers, water heaters, kettles, tea and coffee urns, or pipe fittings, this cleaner ensures thorough descaling, leaving equipment efficient and spotless.

#### Why Use VIWANTA VK-5 De Scale?

•**Maximizes Equipment Efficiency:**

•Regular descaling improves performance and extends lifespan.

•**Deep Cleaning Power:**

•Effectively removes even the toughest lime-scale deposits.

•**Odor-Free Formula:**

•Doesn't leave behind any unwanted smell or taste.

•**Enhances Shine:**

•Keeps sinks and fittings looking fresh and polished.

#### How to Use:

Dilute the cleaner based on the buildup severity :

##### Light scaling:

Mix 100ml **Viwanta VK5** with 1L water (10% solution).

##### Heavy scaling:

Mix 500ml **Viwanta VK5** with 1L water (50% solution).

Soak the equipment for 10 to 30 minutes depending on deposit severity. Scrub and rinse thoroughly before allowing the item to air dry. For dishwashers and laundry machines, circulate the 10-50% solution for 30 minutes at 60°C, then rinse completely.

#### Technical Specs:

Appearance	:	Clear Color less Liquid
pH Value	:	1.5 - 2.5
Specific Gravity	:	0.95 – 1.01
Oduor	:	Characteristic

*The above data is typical of normal production and should not be taken as a specification.*

#### Safe Handling & Storage

- Always wear gloves and protective gear when using.
- Avoid direct contact with skin or eyes—rinse immediately if exposed.
- Store in a cool, dry place away from sunlight.

**Packaging:** Available in **2 x 5Ltr.**

For More Information, Please contact your local representative.



**Corporate Office:**  
NIPO Hygienic LLP  
Unit No 3, Godavari Building, Laxmi Industrial Premises  
Pokharan Road No 1, Thane (West) MH - 400606  
contact@nipohygenics.com



# VK8– De Greaser

## Kitchen – Heavy Duty De Greaser

# Product Information

## Sheet

**Viwanta VK-8 DeGreaser HD** is a super-concentrated, high-performance cleaner and degreaser designed for food contact surfaces and other hard surfaces. It effectively cuts through dirt, grime, soap scum, and organic residues like animal proteins, fats, oils, blood, and grease.

### Key Features:

- Heavy-duty degreaser—cleans stubborn grease without excessive scrubbing.
- Versatile applications—ideal for stainless steel, plastic, tile, and resilient/non-resilient floors.
- Efficient cleaning—saves cleaning time and labor.
- Aluminum-safe formula—works on sensitive surfaces without damage.
- Multiple usage methods—foam, spray, mop, brush, or wipe application.

### Application Areas:

Perfect for **supermarkets, food-processing zones, institutional kitchens, bakeries, delis, and seafood/meat-cutting areas.**

### Directions for Use:

- Foam Cleaning:** Remove food products, apply foam, let sit for 5 minutes, scrub, and rinse thoroughly with potable water.
- Floor Cleaning:** Dilute at **1:100 ratio** (100 ml per 10 L hot water), mop floors, scrub, and rinse completely.
- Equipment Cleaning:** Prepare a **1% solution**, scrub surfaces, and rinse to avoid food contamination.

### Precautions:

To avoid food contamination, rinse all surfaces with potable water. Do not allow to dry on glass or aluminum surfaces.

### Technical Specs:

Appearance	:	Clear Color less Liquid
pH Value	:	11.5 – 12.5
Specific Gravity	:	1.05 – 1.10
Oduor	:	Characteristic

*The above data is typical of normal production and should not be taken as a specification.*

### Safe Handling & Storage

- Always wear gloves and protective gear when using.
- Avoid direct contact with skin or eyes—rinse immediately if exposed.
- Store in a cool, dry place away from sunlight.

**Packaging:** Available in **2 x 5Ltr.**

For More Information, Please contact your local representative.



**Corporate Office:**  
NIPO Hygienic LLP  
Unit No 3, Godavari Building, Laxmi Industrial Premises  
Pokharan Road No 1, Thane (West) MH - 400606  
contact@nipohygenics.com



# VK9– De Stainer

Product

Information

## Liquid De-Stainer / Presoaker

Sheet

**Viwanta VK9 De Stainer** is a chlorinated, alkaline liquid specially formulated for presoaking and destaining heavily soiled cups and crockery. It effectively removes stubborn tannin stains from tea and coffee, along with burnt-on food residues and starch deposits.

### Key Features & Benefits:

- **High-strength stain remover**—eliminates tough stains efficiently.
- **Enhanced formula**—contains scale inhibitors and alkali for superior cleaning.
- **Quick-action solution**—dissolves rapidly in water for immediate effectiveness.
- **Easy dosing**—can be manually added or used with a dosing pump.

### Directions for Use:

1. **Prepare soak solution**—fill a reservoir with warm water (**40-50°C**).
2. **Dilution**—add **10-20 ml per liter** of water.
3. **Soaking process**—immerse items for **15-30 minutes**, depending on soil level.
4. **Final cleaning**—pass items through a dishwashing machine for thorough rinsing.

### Precautions & Compatibility:

- Limited soak time for sensitive materials—decorated china and plastic items should not exceed 30 minutes in solution.
- Material restrictions—do not use on melamine plastics, silver, brass, or copper.
- Safe handling—wear protective gloves and clothing to prevent skin and eye irritation.
- Storage guidelines—keep in the original container, away from extreme temperatures and direct sunlight.

### Technical Specs:

Appearance	:	Clear Color less Liquid
pH Value	:	11.5 – 12.5
Specific Gravity	:	1.05 – 1.10
Oduor	:	Characteristic

*The above data is typical of normal production and should not be taken as a specification.*

### Safe Handling & Storage

- Always wear gloves and protective gear when using.
- Avoid direct contact with skin or eyes—rinse immediately if exposed.
- Store in a cool, dry place away from sunlight.

**Packaging:** Available in **2 x 5Ltr.**

For More Information, Please contact your local representative.



**Corporate Office:**  
NIPO Hygienic LLP  
Unit No 3, Godavari Building, Laxmi Industrial Premises  
Pokharan Road No 1, Thane (West) MH - 400606  
contact@nipohygenics.com